

MODEL DESCRIPTION LIST PRICE

EVERHOT
STAINLESS STEEL
UPGRADE
Tank Only



Stainless Steel Shell

Part # WI-LVH-TANK-SL1

Shipping Wt: 7 lbs.

Wt: 7 lbs. \$534

Dimensions: Width: 7"

Height: 11" Depth: 7 3/4"

Undercounter instant hot water heating tank with adjustable temperature control delivers up to **200°** hot water from a compact, **stainless steel**, 2.5 quart reservoir. Heater Protection with self-resetting thermal breaker.

- 3 year warranty
- Totally stainless steel inside and out
- Stainless steel heating element
- Smaller footprint
- Power indicator light
- Heating indicator light
- Longer warranty
- Preferred tank with Reverse Osmosis systems due to the all SS construction



With a longer cord!


Includes a 1.5 meter (nearly 5 feet), 14 gauge cord with a 3-prong plug.

Heating element: 1300 Watts, 10.8 Amps, 120 Volts, 60 Hz

Capacity: 5/8 gallons

See specification sheet for complete technical details.

Warranty: 3 years



EVERHOT Tank Only

Part # WI-LVH-TANK

Shipping Wt: 7 lbs.

\$417

Dimensions: Width: 7 3/4"

Height: 13" Depth: 9"



White Shell

Undercounter instant hot water heating tank with adjustable temperature control delivers up to 190° hot water from a compact, 2.5 quart high temperature engineered reservoir. Heater Protection with self-resetting thermal breaker.

Includes a 3' cord with a 3-prong plug.

Heating element: 1300 Watts, 10.8 Amps, 120 Volts, 60 Hz

Capacity: 5/8 gallons

See specification sheet for complete technical details.

Warranty: 1 year



The Everhot mark is used under license from Bradford White Corp.

MAXIMUM recommended line pressure for this product is 75 PSI. Pressure above 75 PSI indicates the absence of a properly functioning water pressure regulator at the property. Excessive water pressure poses a risk of property damage to you.Problems due to excessive water pressure are NOT covered by this product's warranty. <u>BEFORE</u> installation of any Water, Inc. product, confirm that water supply pressure does not exceed 75 PSI. Questions? Contact Water, Inc. Service Depart. at 800.322.WATER(9283) Installations must comply with appropriate plumbing codes. Do not use vinyl tubing to connect any Water, Inc. Product to a water source. Polyethylene tubing is recommended for cold water applications.